



CYJV.E321413
Cable Assemblies and Fittings for Industrial Control and Signal Distribution

[Page Bottom](#)

Cable Assemblies and Fittings for Industrial Control and Signal Distribution

[See General Information for Cable Assemblies and Fittings for Industrial Control and Signal Distribution](#)
DONGGUAN FINECABLES CO LTD

E321413

B5 Blk South Industrial

Humen Town

Dongguan, Guangdong 523900 CHINA

Model/Cat. No.	No. of Poles	Conductor Size, AWG	Current, A	Voltage, V	Disconnect Use	Env Rating	IP Rating	Short-circuit-current Rating													SCCR, RMS Sym, kA	Vol Ma: V
								Overcurrent Protection										Mfr	Type	Max Amp		
								Fuse Size — Class/Max Amp Rating						Circuit Breaker Size								
								J	T	L	RK1	RK5	G	CC								
Female Cable assemblies																						
MB12, f/b FW, f/b A, B or D, f/b F, f/b F, P or HD, f/b 03, f/b ST or RA, f/b -3 or -4	3/0	24 or 22	4	250Vac/dc	no	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
MB12, f/b FW, f/b A, B or D, f/b F, f/b F, P or HD, f/b 04, f/b ST or RA, f/b -3 or -4	4/0	24 or 22	4	250Vac/dc	no	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
MB12, f/b FW, f/b A, B or D, f/b F, f/b F, P or HD, f/b 05, f/b ST or RA, f/b -3 or -4	5/0	24 or 22	4	60Vac/dc	no	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
MB12, f/b FW, f/b A, B or D, f/b F, f/b F, P or HD, f/b 08, f/b ST or RA, f/b -3 or -4	8/0	24	2	30Vac/dc	no	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
MB12, f/b FWS, f/b A, B or D, f/b F, f/b F or HD, f/b 03, f/b ST, f/b -A or -B	3/0	24 or 22	4	250Vac/dc	no	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
MB12, f/b FWS, f/b A, B or D, f/b F, f/b F or HD, f/b 04, f/b ST, f/b -A or -B	4/0	24 or 22	4	250Vac/dc	no	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
MB12, f/b FWS, f/b A, B or D, f/b F, f/b F or HD, f/b 05, f/b ST, f/b -A or -B	5/0	24 or 22	4	60Vac/dc	no	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
MB12, f/b FWS, f/b A, B or D, f/b F, f/b F or HD, f/b 08, f/b ST, f/b -A or -B	8/0	24	2	30Vac/dc	no	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
Male Cable assemblies																						
MB12, f/b MW, f/b A, B or D, f/b F, f/b F, P or HD, f/b 03, f/b ST or RA, f/b -3 or -4	3/0	24 or 22	4	250Vac/dc	no	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
MB12, f/b MW, f/b A, B or D, f/b F, f/b F, P or HD, f/b 04, f/b ST or RA, f/b -3 or -4	4/0	24 or 22	4	250Vac/dc	no	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
MB12, f/b MW, f/b A, B or D, f/b F, f/b F, P or HD, f/b 05, f/b ST or RA, f/b -3 or -4	5/0	24 or 22	4	60Vac/dc	no	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
MB12, f/b MW, f/b A, B or D, f/b F, f/b F, P or HD, f/b 08, f/b ST or RA, f/b -3 or -4	8/0	24	2	30Vac/dc	no	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
MB12, f/b MWS, f/b A, B or D, f/b F, f/b F or HD, f/b 03, f/b ST, f/b -A or -B	3/0	24 or 22	4	250Vac/dc	no	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
MB12, f/b MWS, f/b A, B or D, f/b F, f/b F or HD, f/b 04, f/b ST, f/b -A or -B	4/0	24 or 22	4	250Vac/dc	no	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
MB12, f/b MWS, f/b A, B or D, f/b F, f/b F or HD, f/b 05, f/b ST, f/b -A or -B	5/0	24 or 22	4	60Vac/dc	no	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
MB12, f/b MWS, f/b A, B or D, f/b F, f/b F or HD, f/b 08, f/b ST, f/b -A or -B	8/0	24	2	30Vac/dc	no	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
Male Molded-on Cable Fitting																						
MA12 f/b M or MS, f/b A, f/b	12/0	26	1.5	30 V ac/dc	No	-	-	-	-	-	-	-	-	-	-	-	-	-	-			

12 f/b ST or RA, f/b any digit of number, f/b C or R, f/b B, G, O, P or Y, f/b 13																		
MA12 f/b M or MS, f/b A, f/b 17 f/b ST or RA, f/b any digit of number, f/b C or R, f/b B, G, O, P or Y, f/b 13	17/0	26	1.5	30 V ac/dc	No	-	-	-	-	-	-	-	-	-	-	-	-	-
MA12 f/b M or MS, f/b A, f/b 12 f/b ST or RA, f/b any digit of number, f/b C or R, f/b B, G, O, P or Y, f/b 20	12/0	24	1.5	30 V ac/dc	No	-	-	-	-	-	-	-	-	-	-	-	-	-
MA12 f/b M or MS, f/b A, f/b 17 f/b ST or RA, f/b any digit of number, f/b C or R, f/b B, G, O, P or Y, f/b 20	17/0	24	1.5	30 V ac/dc	No	-	-	-	-	-	-	-	-	-	-	-	-	-

Female Molded-on Cable Fitting

MA12 f/b F or FS, f/b A, f/b 12, f/b ST or RA, f/b any digit of number, f/b C or R, f/b B, G, O, P or Y, f/b 13	12/0	26	1.5	30 V ac/dc	No	-	-	-	-	-	-	-	-	-	-	-	-	-
MA12 f/b F or FS, f/b A, f/b 17, f/b ST or RA, f/b any digit of number, f/b C or R, f/b B, G, O, P or Y, f/b 13	17/0	26	1.5	30 V ac/dc	No	-	-	-	-	-	-	-	-	-	-	-	-	-
MA12 f/b F or FS, f/b A, f/b 12, f/b ST or RA, f/b any digit of number, f/b C or R, f/b B, G, O, P or Y, f/b 20	12/0	24	1.5	30 V ac/dc	No	-	-	-	-	-	-	-	-	-	-	-	-	-
MA12 f/b F or FS, f/b A, f/b 17, f/b ST or RA, f/b any digit of number, f/b C or R, f/b B, G, O, P or Y, f/b 20	17/0	24	1.5	30 V ac/dc	No	-	-	-	-	-	-	-	-	-	-	-	-	-

Male Panel-Mount Fitting

MB12 f/b MS, f/b A, f/b F or R, f/b HD or F, f/b 12, f/b ST, f/b -2 or -3	12/0	26	1.5	30 V ac/dc	No	-	-	-	-	-	-	-	-	-	-	-	-	-
MB12 f/b MS, f/b A, f/b F or R, f/b HD or F, f/b 17, f/b ST, f/b -2 or -3	17/0	26	1.5	30 V ac/dc	No	-	-	-	-	-	-	-	-	-	-	-	-	-
MB12 f/b MB, f/b A, f/b F or R, f/b HD or F, f/b 12, f/b ST, f/b -2 or -3	12/0	-	1.5	30 V ac/dc	No	-	-	-	-	-	-	-	-	-	-	-	-	-
MB12 f/b MB, f/b A, f/b F or R, f/b HD or F, f/b 17, f/b ST, f/b -2 or -3	17/0	-	1.5	30 V ac/dc	No	-	-	-	-	-	-	-	-	-	-	-	-	-

Female Panel-Mount Fitting

MB12 f/b FS, f/b A, f/b F or R, f/b HD or F, f/b 12, f/b ST, f/b -2 or -3	12/0	26	1.5	30 V ac/dc	No	-	-	-	-	-	-	-	-	-	-	-	-	-
MB12 f/b FS, f/b A, f/b F or R, f/b HD or F, f/b 17, f/b ST, f/b -2 or -3	17/0	26	1.5	30 V ac/dc	No	-	-	-	-	-	-	-	-	-	-	-	-	-
MB12 f/b FB, f/b A, f/b F or R, f/b HD or F, f/b 12, f/b ST, f/b -2 or -3	12/0	-	1.5	30 V ac/dc	No	-	-	-	-	-	-	-	-	-	-	-	-	-
MB12 f/b FB, f/b A, f/b F or R, f/b HD or F, f/b 17, f/b ST, f/b -2 or -3	17/0	-	1.5	30 V ac/dc	No	-	-	-	-	-	-	-	-	-	-	-	-	-

Molded-on Cable Fitting

MA23FAQ2+13RAxxxx200/25	2/0	14	14	300 V ac/dc	No	-	-	-	-	-	-	-	-	-	-	-	-	-
	13/0	24	1.5	30 V ac/dc														
MA23FAQ0+13RAxxxx200/25	13/0	24	1.5	30 V ac/dc	No	-	-	-	-	-	-	-	-	-	-	-	-	-

Panel-Mount Fitting

MB23MBAFQ2+13ST-6, MB23MSAFQ2+13ST-6	2/0	14	14	300 V ac/dc	No	-	-	-	-	-	-	-	-	-	-	-	-	-
	13/0	24	1.5	30 V ac/dc														
MB23MBAFQ0+13ST-6, MB23MSAFQ0+13ST-6	13/0	26	1.5	30 V ac/dc	No	-	-	-	-	-	-	-	-	-	-	-	-	-

Last Updated on 2018-08-01

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory with permission from UL" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "© 2018 UL LLC".

